


| QTY<br>-041 | P/N       | DESCRIPTION            |
|-------------|-----------|------------------------|
| X           | D5735-041 | FWD WEARPLATE ASSY, LH |
| 1           | D5735-1   | FWD WEARPLATE          |
| 2           | D5736-041 | FWD WEARBAR ASSY       |
| 1           | D5617-1   | CLAMP                  |
| 1           | D5678-1   | NUT                    |






- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING PER DART QSI 005 4.9  
MASK D5617-1 CLAMPS PRIOR TO FINISH.
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5735-041" AND S/N PER DART QSI 044 6.1
  - 7) WEIGHT: 3.38 lbs
  - 8) WELD PER DART QSI 004
  - 9) ENSURE WELDED CLAMP FITS AROUND A 3.62 DIAMETER WITH 0.375-0.500 THREADS EXPOSED WHEN SNUG
  - 10) INSTALL HAND TIGHT ONLY
  - 11) TRANSFER DRILL  $\phi 0.188$  DRAIN HOLES FROM WEARPLATE THRU WEARBAR, OPEN HOLES TO  $\phi 0.188$  AFTER FINISH IF REQUIRED

APPROVED

|            |             |   |               |
|------------|-------------|---|---------------|
| A          | NEW ISSUE   | ZF  | 19.08.20      |
| REV.       | DESCRIPTION | BY  | DATE          |
| DESIGN     | ZF          | DART AEROSPACE USA, INC.<br>HILLSBORO, OR   |               |
| DRAWN      | ZF          |   |               |
| CHECKED    | MW          | DRAWING NO.   | REV. A        |
| MFG. APPR. | DD          | D5735   | SHEET 1 OF 13 |
| APPROVED   | NO          | TITLE   | SCALE         |
| DE APPR.   | DS          | TRAINING WEARPLATES   | NTS           |
| DATE       | 19.08.20    | COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. |               |

UNDER REVIEW  
URF 19-1206 19.11.07 (VM)

| QTY<br>-042 | P/N       | DESCRIPTION            |
|-------------|-----------|------------------------|
| X           | D5735-042 | FWD WEARPLATE ASSY, RH |
| 1           | D5735-1   | FWD WEARPLATE          |
| 2           | D5736-041 | FWD WEARBAR ASSY       |
| 1           | D5617-1   | CLAMP                  |
| 1           | D5678-1   | NUT                    |



**D5735-042 FWD WEARPLATE ASSY, RH**

**UNDER REVIEW**


URF 19-1206 19.11.07 (VM)

- NOTES:**
- 1) MATERIAL: N/A
  - 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING PER DART QSI 005 4.9  
MASK D5617-1 CLAMPS PRIOR TO FINISH.
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5735-042" AND S/N PER DART QSI 044 6.1
  - 7) WEIGHT: 3.38 lbs
  - 8) WELD PER DART QSI 004
  - 9) ENSURE WELDED CLAMP FITS AROUND A 3.62 DIAMETER WITH 0.375-0.500 THREADS EXPOSED WHEN SNUG
  - 10) INSTALL HAND TIGHT ONLY
  - 11) TRANSFER DRILL  $\phi 0.188$  DRAIN HOLES FROM WEARPLATE THRU WEARBAR, OPEN HOLES TO  $\phi 0.188$  AFTER FINISH IF REQUIRED

APPROVED

|            |          |   |               |
|------------|----------|---|---------------|
| DESIGN     | ZF       | <b>DART AEROSPACE USA, INC.</b><br>HILLSBORO, OR  |               |
| DRAWN      | ZF       |   |               |
| CHECKED    | MW       | DRAWING NO.   | REV. A        |
| MFG. APPR. | DD       | <b>D5735</b>  | SHEET 2 OF 13 |
| APPROVED   | NO       | TITLE   | SCALE         |
| DE APPR.   | DS       | <b>TRAINING WEARPLATES</b>  | NTS           |
| DATE       | 19.08.20 | COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. |               |

| QTY<br>-043 | P/N       | DESCRIPTION        |
|-------------|-----------|--------------------|
| X           | D5735-043 | MID WEARPLATE ASSY |
| 1           | D5735-3   | MID WEARPLATE      |
| 2           | D5736-043 | MID WEARBAR ASSY   |
| 4           | D5617-1   | CLAMP              |
| 4           | D5678-1   | NUT                |



**D5735-043 MID WEARPLATE ASSY**


- NOTES:**
- 1) MATERIAL: N/A
  - 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING PER DART QSI 005 4.9  
MASK D5617-1 CLAMPS PRIOR TO FINISH.
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5735-043" AND S/N PER DART QSI 044 6.1
  - 7) WEIGHT: 11.55 lbs
  - 8) WELD PER DART QSI 004
  - 9) ENSURE WELDED CLAMP FITS AROUND A 3.62 DIAMETER WITH 0.375-0.500 THREADS EXPOSED WHEN SNUG
  - 10) INSTALL HAND TIGHT ONLY
  - 11) TRANSFER DRILL  $\varnothing 0.188$  DRAIN HOLES FROM WEARPLATE THRU WEARBAR, OPEN HOLES TO  $\varnothing 0.188$  AFTER FINISH IF REQUIRED

**UNDER REVIEW**

URF 19-1206 19.11.07 (VM)

|          |            |          |   |               |
|----------|------------|----------|---|---------------|
| APPROVED | DESIGN     | ZF       | <b>DART AEROSPACE USA, INC.</b><br>HILLSBORO, OR  |               |
|          | DRAWN      | ZF       |   |               |
|          | CHECKED    | MW       | DRAWING NO.   | REV. A        |
|          | MFG. APPR. | DD       | <b>D5735</b>  | SHEET 3 OF 13 |
|          | APPROVED   | NO       | TITLE   | SCALE         |
|          | DE APPR.   | DS       | <b>TRAINING WEARPLATES</b>  | NTS           |
| DATE     |            | 19.08.20 | COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. |               |

| QTY<br>-045 | P/N       | DESCRIPTION        |
|-------------|-----------|--------------------|
| X           | D5735-045 | AFT WEARPLATE ASSY |
| 1           | D5735-5   | AFT WEARPLATE      |
| 2           | D5736-045 | AFT WEARBAR ASSY   |



**D5735-045 AFT WEARPLATE ASSY**

**UNDER REVIEW**

URF 19-1206 19.11.07 (VM)


**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING PER DART QSI 005 4.9
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5735-045" AND S/N PER DART QSI 044 6.1
- 7) WEIGHT: 3.29 lbs
- 8) WELD PER DART QSI 004
- 9) TRANSFER DRILL  $\varnothing 0.188$  DRAIN HOLES FROM WEARPLATE THRU WEARBAR, OPEN HOLES TO  $\varnothing 0.188$  AFTER FINISH IF REQUIRED

APPROVED

|            |          |   |               |
|------------|----------|---|---------------|
| DESIGN     | ZF       | <b>DART AEROSPACE USA, INC.</b><br>HILLSBORO, OR  |               |
| DRAWN      | ZF       |   |               |
| CHECKED    | MW       | DRAWING NO.   | REV. A        |
| MFG. APPR. | DD       | <b>D5735</b>  | SHEET 4 OF 13 |
| APPROVED   | NO       | TITLE   | SCALE         |
| DE APPR.   | DS       | <b>TRAINING WEARPLATES</b>  | NTS           |
| DATE       | 19.08.20 | COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. |               |

| QTY<br>-047 | P/N       | DESCRIPTION            |
|-------------|-----------|------------------------|
| X           | D5735-047 | FWD WEARPLATE ASSY, LH |
| 1           | D5735-7   | FWD WEARPLATE          |
| 2           | D5736-047 | FWD WEARBAR ASSY       |
| 1           | D5617-1   | CLAMP                  |
| 1           | D5678-1   | NUT                    |



**D5735-047 FWD WEARPLATE ASSY, LH**

**UNDER REVIEW**


URF 19-1206 19.11.07 (VM)

- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING PER DART QSI 005 4.9 MASK D5617-1 CLAMPS PRIOR TO FINISH.
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5735-047" AND S/N PER DART QSI 044 6.1
  - 7) WEIGHT: 3.18 lbs
  - 8) WELD PER DART QSI 004
  - 9) ENSURE WELDED CLAMP FITS AROUND A 3.62 DIAMETER WITH 0.375-0.500 THREADS EXPOSED WHEN SNUG
  - 10) INSTALL HAND TIGHT ONLY
  - 11) TRANSFER DRILL  $\phi 0.188$  DRAIN HOLES FROM WEARPLATE THRU WEARBAR, OPEN HOLES TO  $\phi 0.188$  AFTER FINISH IF REQUIRED

APPROVED

|            |          |   |               |
|------------|----------|---|---------------|
| DESIGN     | ZF       | <b>DART AEROSPACE USA, INC.</b><br>HILLSBORO, OR  |               |
| DRAWN      | ZF       |   |               |
| CHECKED    | MW       | DRAWING NO.   | REV. A        |
| MFG. APPR. | DD       | <b>D5735</b>  | SHEET 5 OF 13 |
| APPROVED   | NO       | TITLE   | SCALE         |
| DE APPR.   | DS-4     | <b>TRAINING WEARPLATES</b>  | NTS           |
| DATE       | 19.08.20 | COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. |               |

| QTY<br>-048 | P/N       | DESCRIPTION            |
|-------------|-----------|------------------------|
| X           | D5735-048 | FWD WEARPLATE ASSY, RH |
| 1           | D5735-7   | FWD WEARPLATE          |
| 2           | D5736-047 | FWD WEARBAR ASSY       |
| 1           | D5617-1   | CLAMP                  |
| 1           | D5678-1   | NUT                    |



**D5735-048 FWD WEARPLATE ASSY, RH**

**UNDER REVIEW**


URF 19-1206 19.11.07 (VM)

- NOTES:**
- 1) MATERIAL: N/A
  - 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING PER DART QSI 005 4.9 MASK D5617-1 CLAMPS PRIOR TO FINISH.
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5735-048" AND S/N PER DART QSI 044 6.1
  - 7) WEIGHT: 3.18 lbs
  - 8) WELD PER DART QSI 004
  - 9) ENSURE WELDED CLAMP FITS AROUND A 3.62 DIAMETER WITH 0.375-0.500 THREADS EXPOSED WHEN SNUG
  - 10) INSTALL HAND TIGHT ONLY
  - 11) TRANSFER DRILL  $\varnothing$ 0.188 DRAIN HOLES FROM WEARPLATE THRU WEARBAR, OPEN HOLES TO  $\varnothing$ 0.188 AFTER FINISH IF REQUIRED

|          |            |          |   |               |
|----------|------------|----------|---|---------------|
| APPROVED | DESIGN     | ZF       | <b>DART AEROSPACE USA, INC.</b><br>HILLSBORO, OR  |               |
|          | DRAWN      | ZF       |   |               |
|          | CHECKED    | MW       | DRAWING NO.   | REV. A        |
|          | MFG. APPR. | DD       | <b>D5735</b>  | SHEET 6 OF 13 |
|          | APPROVED   | NO       | TITLE   | SCALE         |
|          | DE APPR.   | DS       | <b>TRAINING WEARPLATES</b>  | NTS           |
| DATE     |            | 19.08.20 | <small>COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br/>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small> |               |



| QTY<br>-049 | P/N       | DESCRIPTION        |
|-------------|-----------|--------------------|
| X           | D5735-049 | MID WEARPLATE ASSY |
| 1           | D5735-9   | MID WEARPLATE      |
| 2           | D5736-043 | MID WEARBAR ASSY   |
| 4           | D5617-1   | CLAMP              |
| 4           | D5678-1   | NUT                |



**D5735-049 MID WEARPLATE ASSY**










**UNDER REVIEW**

URF 19-1206 19.11.07 (VM)

- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING PER DART QSI 005 4.9  
MASK D5617-1 CLAMPS PRIOR TO FINISH.
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5735-049" AND S/N PER DART QSI 044 6.1
  - 7) WEIGHT: 11.55 lbs
  - 8) WELD PER DART QSI 004
  - 9) ENSURE WELDED CLAMP FITS AROUND A 3.62 DIAMETER WITH 0.375-0.500 THREADS EXPOSED WHEN SNUG
  - 10) INSTALL HAND TIGHT ONLY
  - 11) TRANSFER DRILL  $\varnothing 0.188$  DRAIN HOLES FROM WEARPLATE THRU WEARBAR, OPEN HOLES TO  $\varnothing 0.188$  AFTER FINISH IF REQUIRED

APPROVED

|            |          |   |               |
|------------|----------|---|---------------|
| DESIGN     | ZF       | <b>DART AEROSPACE USA, INC.</b><br>HILLSBORO, OR  |               |
| DRAWN      | ZF       |   |               |
| CHECKED    | MW       | DRAWING NO.   | REV. A        |
| MFG. APPR. | DD       | <b>D5735</b>  | SHEET 7 OF 13 |
| APPROVED   | NO       | TITLE   | SCALE         |
| DE APPR.   | DS       | <b>TRAINING WEARPLATES</b>  | NTS           |
| DATE       | 19.08.20 | COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. |               |




**UNDER REVIEW**  
URF 19-1206 19.11.07 (VM)

APPROVED

|            |          |   |        |
|------------|----------|---|--------|
| DESIGN     | ZF       | <b>DART AEROSPACE USA, INC.</b>   |        |
| DRAWN      | ZF       | HILLSBORO, OR   |        |
| CHECKED    | MW       | DRAWING NO. <b>D5735</b>  | REV. A |
| MFG. APPR. | DD       | SHEET 8 OF 13   |        |
| APPROVED   | NO       | TITLE   | SCALE  |
| DE APPR.   | DS       | <b>TRAINING WEARPLATES</b>  | NTS    |
| DATE       | 19.08.20 | <small>COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br/>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small> |        |





**D5735-1 FWD WEARPLATE**

**DETAIL L**

**SECTION K-K**


**UNDER REVIEW**

URF 19-1206 19.11.07 (VM)

- NOTES:
- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED, 16 GAUGE (0.063) THICK  
PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240  
REF DSK193-1F
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 1.02 lbs

APPROVED

|            |          |   |               |
|------------|----------|---|---------------|
| DESIGN     | ZF       | <b>DART AEROSPACE USA, INC.</b><br>HILLSBORO, OR  |               |
| DRAWN      | ZF       |   |               |
| CHECKED    | MW       | DRAWING NO.   | REV. A        |
| MFG. APPR. | DD       | <b>D5735</b>  | SHEET 9 OF 13 |
| APPROVED   | NO       | TITLE   | SCALE         |
| DE APPR.   | DS       | <b>TRAINING WEARPLATES</b>  | NTS           |
| DATE       | 19.08.20 | COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. |               |



**D5735-3 MID WEARPLATE**


**UNDER REVIEW**

URF 19-1206 19.11.07 (VM)

- NOTES:**
- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED, 16 GAUGE (0.063) THICK  
PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240  
REF DSK193-3F
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 3.59 lbs

APPROVED

|            |          |   |                |
|------------|----------|---|----------------|
| DESIGN     | ZF       | <b>DART AEROSPACE USA, INC.</b><br>HILLSBORO, OR  |                |
| DRAWN      | ZF       |   |                |
| CHECKED    | MW       | DRAWING NO.   | REV. A         |
| MFG. APPR. | DD       | <b>D5735</b>  | SHEET 10 OF 13 |
| APPROVED   | NO       | TITLE   | SCALE          |
| DE APPR.   | DS       | <b>TRAINING WEARPLATES</b>  | NTS            |
| DATE       | 19.08.20 | COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. |                |




**D5735-5 AFT WEARPLATE**

**UNDER REVIEW**

URF 19-1206 19.11.07 (VM)

- NOTES:**
- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED, 16 GAUGE (0.063) THICK  
PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240  
REF DSK193-5F
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 1.10 lbs

|          |            |          |   |                |
|----------|------------|----------|---|----------------|
| APPROVED | DESIGN     | ZF       | <b>DART AEROSPACE USA, INC.</b><br>HILLSBORO, OR  |                |
|          | DRAWN      | ZF       |   |                |
|          | CHECKED    | MW       | DRAWING NO.   | REV. A         |
|          | MFG. APPR. | DD       | <b>D5735</b>  | SHEET 11 OF 13 |
|          | APPROVED   | NO       | TITLE   | SCALE          |
|          | DE APPR.   | DS       | <b>TRAINING WEARPLATES</b>  | NTS            |
| DATE     |            | 19.08.20 | COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. |                |



**D5735-7 FWD WEARPLATE**


**UNDER REVIEW**

URF 19-1206 19.11.07 (VM)

- NOTES:**
- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED, 16 GAUGE (0.063) THICK  
PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240  
REF DSK193-7F
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 1.05 lbs

APPROVED

|            |          |   |                |
|------------|----------|---|----------------|
| DESIGN     | ZF       | <b>DART AEROSPACE USA, INC.</b><br>HILLSBORO, OR  |                |
| DRAWN      | ZF       |   |                |
| CHECKED    | MW       | DRAWING NO.   | REV. A         |
| MFG. APPR. | DD       | <b>D5735</b>  | SHEET 12 OF 13 |
| APPROVED   | NO       | TITLE   | SCALE          |
| DE APPR.   | DS       | <b>TRAINING WEARPLATES</b>  | NTS            |
| DATE       | 19.08.20 | COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. |                |



**D5735-9 MID WEARPLATE**

**UNDER REVIEW**

URF 19-1206 19.11.07 (VM)

**NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED, 16 GAUGE (0.063) THICK  
PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240  
REF DSK193-9F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 3.59 lbs

APPROVED

|            |          |  |                |
|------------|----------|--|----------------|
| DESIGN     | ZF       | <b>DART AEROSPACE USA, INC.</b><br>HILLSBORO, OR   |                |
| DRAWN      | ZF       |  |                |
| CHECKED    | MW       | DRAWING NO.  | REV. A         |
| MFG. APPR. | DD       | <b>D5735</b>   | SHEET 13 OF 13 |
| APPROVED   | NO       | TITLE  | SCALE          |
| DE APPR.   | DS       | <b>TRAINING WEARPLATES</b>   | NTS            |
| DATE       | 19.08.20 | COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.<br><small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small> |                |